



September 10, 2020

**SAMPLE ANALYSIS FEE SCHEDULE**

**DIRECTLY MELTABLE MATERIAL**

Fire Assay, Cupellation, ASTM E1335 - 08	\$300/sample	2-5g Required	Typical 4-5 Days
ICP	\$300/sample	2-5g Required	4-5 Days
X-Ray Fluorescence Spectrometry	\$100/sample	1-2g Required	1-3 Days
NOTE: X-Ray spectrometry analysis limited to heavy elements			

**PULP, GRINDINGS, SWEEPS**

Fire Assay, Cupellation	\$300/sample	10cm <sup>3</sup> Required	4-7 Days
ICP	\$350/sample	10cm <sup>3</sup> Required	4-7 Days
X-Ray Fluorescence Spectrometry	\$150/sample	10cm <sup>3</sup> Required	1-3 Days
NOTE: X-Ray spectrometry analysis limited to heavy elements			

**PLATING THICKNESS**

X-Ray Fluorescence Spectrometry	<b>GOLD, SILVER, PLATINUM, PALLADIUM, RHODIUM</b> \$150/sample	1-2g Required	1-3 Days
---------------------------------	---	---------------	----------

**BULLION VERIFICATION FOR PURITY AND HOMOGENEITY**

Gold	<b>BARS, COINS, ROUNDS</b> \$25/sample		Same day
Silver	\$4/sample, \$20 Minimum		Same day
Platinum	\$20/sample, \$100 Minimum		Same day
Palladium	\$20/sample, \$100 Minimum		Same day

**MELT AND METAL RETURN:**

Primary Refining. Melt, Flux, Pour	<b>GOLD, SILVER, COPPER, NON-FERROUS</b> \$175/lot	1kg Max Au, 3kg Max Ag, Cu/lot	1-3 Days
------------------------------------	---	--------------------------------	----------

All prices in Canadian dollars and subject to tax. All Prices F.O.B. Winnipeg

KMG Gold Recycling cannot analyse, process, nor accept for processing the following material:

Solutions or Metals Containing Mercury or radioactive elements

XRF analysis by FISCHERSCOPE® X-Ray XAN® 120 tabletop x-ray spectrometer (EDXRF), which meets the requirements of DIN ISO 3497 and ASTM B 568.

Precision ≤1 % (≤0.1wt %) for Gold Au (Z=79)

ASTM E1335 - 08, Standard Test Methods for Determination of Gold in Bullion by Fire Assay Cupellation Analysis